

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 3/21/2018 Version: 3

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture
Product name : Phase II Paste B

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : For RX only

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer:

Reliance Orthodontic Products, Inc. 1540 West Thorndale Ave. Itasca, IL 60143 USA 630-773-4009, during normal business hours <a href="https://www.RelianceOrthodontics.com">www.RelianceOrthodontics.com</a>

#### EC Representative:

Emergo Europe, Prinsessgracht 20 2514 AP The Hague, The Netherlands

Australian Sponsor: Emergo Australia, 201 Sussex St.

Darling Park, Tower II, Level 20 Sydney, NSW 2000 Australia

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC - 24-Hour Hazmat Emergency Communications Center

Domestic: 1-800-424-9300 Outside the U.S.: 1-703-527-3887, collect calls accepted

#### SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2
2
Skin sensitisation, Category 1 H317

Full text of H statements : see section 16

### Adverse physicochemical, human health and environmental effects

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning

Hazardous ingredients : BisGMA; Dibenzoyl Peroxide; Proprietary

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P261 - Avoid breathing vapours.

P264 - Wash hands thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves, face protection, eye protection. P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

EN (English) 1/9

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P321 - Specific treatment (see First aid measures on this label).

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse. P501 - Dispose of contents and container to a licensed hazardous-waste disposal contractor or

waste, a hazardous or special waste collection point, hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

collection site except for empty clean containers which can be disposed of as non-hazardous

Other hazards No additional information available

#### SECTION 3: Composition/information on ingredients

#### **Substances**

Not applicable

2.3.

#### **Mixtures** 3.2.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Fused Silica	(CAS-No.) 60675-86-0	50 - 75	Skin Irrit. 2, H315
BisGMA	(CAS-No.) 1565-94-2	10 - 30	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Proprietary	(CAS-No.) Proprietary (EC-No.) Proprietary	< 1	Skin Sens. 1B, H317
Dibenzoyl Peroxide	(CAS-No.) 94-36-0 (EC-No.) 202-327-6 (EC Index-No.) 617-008-00-0	<1	Org. Perox. B, H241 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10)
Acetic Acid substance with a Community workplace exposure limit	(CAS-No.) 64-19-7 (EC-No.) 200-580-7 (EC Index-No.) 607-002-00-6	<1	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Corr. 1A, H314

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits
Acetic Acid	(CAS-No.) 64-19-7 (EC-No.) 200-580-7 (EC Index-No.) 607-002-00-6	( 10 = <c 2,="" 25)="" <="" eye="" h319<br="" irrit.="">( 10 =<c 2,="" 25)="" <="" h315<br="" irrit.="" skin="">( 25 =<c 1b,="" 90)="" <="" corr.="" h314<br="" skin="">(C &gt;= 90) Skin Corr. 1A, H314</c></c></c>

Full text of H-statements: see section 16

#### **SECTION 4: First aid measures**

## **Description of first aid measures**

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to First-aid measures after eye contact

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

#### **Extinguishing media**

Suitable extinguishing media : Water spray. Dry powder. Foam.

#### Special hazards arising from the substance or mixture

Hazardous decomposition products in case of : Toxic fumes may be released.

fire

EN (English) 2/9

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 5.3. Advice for firefighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing mist, vapours.

#### 6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Mechanically recover the product.

Other information

: Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal

protective equipment. Avoid breathing mist, vapours.

Hygiene measures

: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

## 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Dibenzoyl Peroxide (94	4-36-0)	
Belgium	Limit value (mg/m³)	5 mg/m³ (Dibenzoyl Peroxide; Belgium; Time-weighted average exposure limit 8 h)
France	VME (mg/m³)	5 mg/m³ (Dibenzoyl Peroxide; France; Time-weighted average exposure limit 8 h)
United Kingdom	WEL TWA (mg/m³)	5 mg/m³
USA - ACGIH	ACGIH TWA (mg/m³)	5 mg/m³ (Dibenzoyl Peroxide; France; Time-weighted average exposure limit 8 h); USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
Acetic Acid (64-19-7)		
EU	IOELV TWA (mg/m³)	25 mg/m³
EU	IOELV TWA (ppm)	10 ppm
EU	IOELV STEL (mg/m³)	50 mg/m³
EU	IOELV STEL (ppm)	20 ppm
Belgium	Limit value (mg/m³)	25 mg/m³ (Acetic Acid; Belgium; Time-weighted average exposure limit 8 h)
Belgium	Limit value (ppm)	10 ppm ( Acetic Acid; Belgium; Time-weighted average exposure limit 8 h)
Belgium	Short time value (mg/m³)	38 mg/m³ (Acetic Acid; Belgium; Short time value)
Belgium	Short time value (ppm)	15 ppm (Acetic Acid; Belgium; Short time value)
France	VLE (mg/m³)	25 mg/m³ (Acetic Acid; France; Short time value;)
France	VLE (ppm)	10 ppm (Acetic Acid; France; Short time value;)
Netherlands	Grenswaarde TGG 8H (mg/m³)	25 mg/m³ (Acetic Acid; Netherlands; Time-weighted average exposure limit 8 h; Public occupational exposure limit value)
USA - ACGIH	ACGIH TWA (ppm)	10 ppm
USA - ACGIH	ACGIH STEL (ppm)	15 ppm

EN (English) 3/9

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

**Environmental exposure controls:** 

Avoid release to the environment.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Paste
Colour : White
Odour : Acrylic

Odour threshold No data available pН : No data available Relative evaporation rate (butylacetate=1) : No data available : No data available Melting point Freezing point : Not applicable Boiling point : No data available Flash point : Not applicable Not applicable Auto-ignition temperature Decomposition temperature No data available Flammability (solid, gas) : Non flammable. : No data available Vapour pressure Relative vapour density at 20 °C : No data available Relative density : Not applicable Solubility : No data available Log Pow : No data available Viscosity, kinematic Not applicable Viscosity, dynamic No data available Explosive properties : No data available Oxidising properties : No data available

## 9.2. Other information

No additional information available

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Explosive limits** 

The product is non-reactive under normal conditions of use, storage and transport.

: Not applicable

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

EN (English) 4/9

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Dibenzoyl Peroxide (94-36-0)	
LD50 oral rat	> 5000 mg/kg (Rat)
Fused Silica (60675-86-0)	
LD50 oral rat	N/A
LD50 dermal rat	N/A
LD50 dermal rabbit	N/A
LC50 inhalation rat (ppm)	N/A
LC50 inhalation rat (Dust/Mist - mg/l/4h)	N/A mg/l/4h
LC50 inhalation rat (Vapours - mg/l/4h)	N/A mg/l/4h
Proprietary (Proprietary)	

Proprietary (Proprietary)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Male/female, Experimental value)
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value)
LC50 inhalation rat (mg/l)	> 2.28 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male/female, Experimental value)

Acetic Acid (64-19-7)	
LD50 oral rat	3310 mg/kg bodyweight (Rat, Male/female, Experimental value)
LC50 inhalation rat (mg/l)	11.4 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Female, Experimental value)

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified

STOT-single exposure : Not classified

Fused Silica (60675-86-0)	
LOAEL (oral, rat)	N/A mg/kg bodyweight
LOAEL (dermal, rat/rabbit)	N/A mg/kg bodyweight
LOAEC (inhalation, rat, gas)	N/A ppmv/4h
LOAEC (inhalation, rat, vapour)	N/A mg/l/4h
LOAEC (inhalation, rat, dust/mist/fume)	N/A mg/l/4h

STOT-repeated exposure : Not classified

Fused Silica (60675-86-0)	
LOAEL (oral, rat, 90 days)	N/A mg/kg bodyweight/day
LOAEL (dermal, rat/rabbit, 90 days)	N/A mg/kg bodyweight/day
LOAEC (inhalation, rat, gas, 90 days)	N/A ppmv/6h/day
LOAEC (inhalation, rat, vapour, 90 days)	N/A mg/l/6h/day
LOAEC (inhalation, rat,dust/mist/fume, 90 days)	N/A mg/l/6h/day

Aspiration hazard : Not classified

EN (English) 5/9

## Safety Data Sheet

Log Koc

Log Koc

Ecology - soil

Proprietary (Proprietary)

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

I2.1. Toxicity	ion
•	
Ecology - general	<ul> <li>The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.</li> </ul>
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified
Dibenzoyl Peroxide (94-36-0)	
LC50 fish 1	0.0602 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value)
EC50 Daphnia 1	0.11 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
Proprietary (Proprietary)	
LC50 fish 1	> 100 mg/l (EU Method C.1, 96 h, Brachydanio rerio, Semi-static system, Fresh water, Experimental value)
EC50 Daphnia 1	> 100 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
ErC50 (algae)	> 100 mg/l (EU Method C.3, 72 h, Scenedesmus subspicatus, Static system, Fresh water, Weight of evidence)
Acetic Acid (64-19-7)	
LC50 fish 1	> 1000 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value)
EC50 Daphnia 1	> 1000 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Stati system, Fresh water, Experimental value)
EC50 72h algae (1)	> 1000 mg/l (ISO 10253, Skeletonema costatum, Static system, Salt water, Experimental value)
Persistence and degradability	Readily biodegradable in water.
Proprietary (Proprietary)	Doed'h, kiede wedekle in weter
Persistence and degradability	Readily biodegradable in water.
Persistence and degradability Acetic Acid (64-19-7)	
Persistence and degradability  Acetic Acid (64-19-7)  Persistence and degradability	Readily biodegradable in the soil. Readily biodegradable in water.
Persistence and degradability  Acetic Acid (64-19-7)  Persistence and degradability  Biochemical oxygen demand (BOD)	
Persistence and degradability  Acetic Acid (64-19-7)  Persistence and degradability	Readily biodegradable in the soil. Readily biodegradable in water.
Persistence and degradability  Acetic Acid (64-19-7)  Persistence and degradability  Biochemical oxygen demand (BOD)	Readily biodegradable in the soil. Readily biodegradable in water.  0.6 - 0.74 g O₂/g substance
Persistence and degradability  Acetic Acid (64-19-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)  ThOD	Readily biodegradable in the soil. Readily biodegradable in water.  0.6 - 0.74 g O <sub>2</sub> /g substance  1.03 g O <sub>2</sub> /g substance
Persistence and degradability  Acetic Acid (64-19-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)  ThOD  2.3. Bioaccumulative potential	Readily biodegradable in the soil. Readily biodegradable in water.  0.6 - 0.74 g O <sub>2</sub> /g substance  1.03 g O <sub>2</sub> /g substance
Persistence and degradability  Acetic Acid (64-19-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)  ThOD	Readily biodegradable in the soil. Readily biodegradable in water.  0.6 - 0.74 g O₂/g substance  1.03 g O₂/g substance  1.07 g O₂/g substance  3.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 2.
Persistence and degradability  Acetic Acid (64-19-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)  ThOD  2.3. Bioaccumulative potential  Dibenzoyl Peroxide (94-36-0)  Log Pow	Readily biodegradable in the soil. Readily biodegradable in water.  0.6 - 0.74 g O₂/g substance  1.03 g O₂/g substance  1.07 g O₂/g substance
Persistence and degradability  Acetic Acid (64-19-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)  ThOD  12.3. Bioaccumulative potential  Dibenzoyl Peroxide (94-36-0)  Log Pow  Bioaccumulative potential	Readily biodegradable in the soil. Readily biodegradable in water.  0.6 - 0.74 g O <sub>2</sub> /g substance  1.03 g O <sub>2</sub> /g substance  1.07 g O <sub>2</sub> /g substance  3.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 22°C)
Persistence and degradability  Acetic Acid (64-19-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)  ThOD  2.3. Bioaccumulative potential  Dibenzoyl Peroxide (94-36-0)  Log Pow  Bioaccumulative potential  Proprietary (Proprietary)	Readily biodegradable in the soil. Readily biodegradable in water.  0.6 - 0.74 g O₂/g substance  1.03 g O₂/g substance  1.07 g O₂/g substance  3.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 2: °C)  Low potential for bioaccumulation (Log Kow < 4).
Persistence and degradability  Acetic Acid (64-19-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)  ThOD  2.3. Bioaccumulative potential  Dibenzoyl Peroxide (94-36-0)  Log Pow  Bioaccumulative potential	Readily biodegradable in the soil. Readily biodegradable in water.  0.6 - 0.74 g O <sub>2</sub> /g substance  1.03 g O <sub>2</sub> /g substance  1.07 g O <sub>2</sub> /g substance  3.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 2: °C)
Persistence and degradability  Acetic Acid (64-19-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)  ThOD  2.3. Bioaccumulative potential  Dibenzoyl Peroxide (94-36-0)  Log Pow  Bioaccumulative potential  Proprietary (Proprietary)  BCF other aquatic organisms 1	Readily biodegradable in the soil. Readily biodegradable in water.  0.6 - 0.74 g O₂/g substance  1.03 g O₂/g substance  1.07 g O₂/g substance  3.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 2: °C)  Low potential for bioaccumulation (Log Kow < 4).  3.2 (Estimated value)  2.1 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask
Persistence and degradability  Acetic Acid (64-19-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)  ThOD  2.3. Bioaccumulative potential  Dibenzoyl Peroxide (94-36-0)  Log Pow  Bioaccumulative potential  Proprietary (Proprietary)  BCF other aquatic organisms 1  Log Pow	Readily biodegradable in the soil. Readily biodegradable in water.  0.6 - 0.74 g O₂/g substance  1.03 g O₂/g substance  1.07 g O₂/g substance  3.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 2²°C)  Low potential for bioaccumulation (Log Kow < 4).  3.2 (Estimated value)  2.1 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 21°C)
Persistence and degradability  Acetic Acid (64-19-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)  ThOD  12.3. Bioaccumulative potential  Dibenzoyl Peroxide (94-36-0)  Log Pow  Bioaccumulative potential  Proprietary (Proprietary)  BCF other aquatic organisms 1  Log Pow  Bioaccumulative potential	Readily biodegradable in the soil. Readily biodegradable in water.  0.6 - 0.74 g O₂/g substance  1.03 g O₂/g substance  1.07 g O₂/g substance  3.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 2: °C)  Low potential for bioaccumulation (Log Kow < 4).  3.2 (Estimated value)  2.1 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 21 °C)
Persistence and degradability  Acetic Acid (64-19-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)  ThOD  12.3. Bioaccumulative potential  Dibenzoyl Peroxide (94-36-0)  Log Pow  Bioaccumulative potential  Proprietary (Proprietary)  BCF other aquatic organisms 1  Log Pow  Bioaccumulative potential  Acetic Acid (64-19-7)	Readily biodegradable in the soil. Readily biodegradable in water.  0.6 - 0.74 g O₂/g substance  1.03 g O₂/g substance  1.07 g O₂/g substance  3.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 2: °C)  Low potential for bioaccumulation (Log Kow < 4).  3.2 (Estimated value)  2.1 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 21 °C)  Low potential for bioaccumulation (Log Kow < 4).
Persistence and degradability  Acetic Acid (64-19-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)  ThOD  12.3. Bioaccumulative potential  Dibenzoyl Peroxide (94-36-0)  Log Pow  Bioaccumulative potential  Proprietary (Proprietary)  BCF other aquatic organisms 1  Log Pow  Bioaccumulative potential  Acetic Acid (64-19-7)  BCF fish 1	Readily biodegradable in the soil. Readily biodegradable in water.  0.6 - 0.74 g O₂/g substance  1.03 g O₂/g substance  1.07 g O₂/g substance  3.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 22°C)  Low potential for bioaccumulation (Log Kow < 4).  3.2 (Estimated value)  2.1 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 21°C)  Low potential for bioaccumulation (Log Kow < 4).
Persistence and degradability  Acetic Acid (64-19-7)  Persistence and degradability  Biochemical oxygen demand (BOD)  Chemical oxygen demand (COD)  ThOD  12.3. Bioaccumulative potential  Dibenzoyl Peroxide (94-36-0)  Log Pow  Bioaccumulative potential  Proprietary (Proprietary)  BCF other aquatic organisms 1  Log Pow  Bioaccumulative potential  Acetic Acid (64-19-7)  BCF fish 1  Log Pow	Readily biodegradable in the soil. Readily biodegradable in water.  0.6 - 0.74 g O₂/g substance  1.03 g O₂/g substance  1.07 g O₂/g substance  3.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 22°C)  Low potential for bioaccumulation (Log Kow < 4).  3.2 (Estimated value)  2.1 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 21°C)  Low potential for bioaccumulation (Log Kow < 4).  3.16 (Pisces, Fresh water, QSAR)  -0.17 (Experimental value, 25°C)

Adsorbs into the soil.

3.23 (log Koc, Calculated value)

EN (English) 6/9

3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)

# Safety Data Sheet

Marine pollutant

Proprietary (Proprietary)	
Ecology - soil	Adsorbs into the soil. Low potential for mobility in soil.
Acetic Acid (64-19-7)	
Surface tension	26.3 mN/m (30 °C)
Ecology - soil	Highly mobile in soil. May be harmful to plant growth, blooming and fruit formation.
.5. Results of PBT and vPvB assess	sment
component	
Dibenzoyl Peroxide (94-36-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Proprietary (Proprietary)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
.6. Other adverse effects	
additional information available	
ECTION 13: Disposal considerat	tions
.1. Waste treatment methods	
aste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
ECTION 14: Transport informati	
ECTION 14: Transport information accordance with ADR / RID / IMDG / IATA	
accordance with ADR / RID / IMDG / IATA	/ AUN
.1. UN number	
N-No. (ADR)	: Not applicable
N-No. (IMDG)	: Not applicable
N-No. (IATA)	: Not applicable
N-No. (ADN)	: Not applicable
N-No. (RID)	: Not applicable
.2. UN proper shipping name	
oper Shipping Name (ADR)	: Not applicable
oper Shipping Name (IMDG)	: Not applicable
oper Shipping Name (IATA)	: Not applicable
oper Shipping Name (ADN)	: Not applicable
oper Shipping Name (RID)	: Not applicable
I.3. Transport hazard class(es)	
DR	
ansport hazard class(es) (ADR)	: Not applicable
IDG	
ansport hazard class(es) (IMDG)	: Not applicable
TA	
ansport hazard class(es) (IATA)	: Not applicable
DN	. Net conflicte
ansport hazard class(es) (ADN)	: Not applicable
D	
	· Not applicable
ansport hazard class(es) (RID)	: Not applicable
.4. Packing group	
icking group (ADR)	: Not applicable
ncking group (IMDG)	: Not applicable
icking group (IATA)	: Not applicable
acking group (ADN)	: Not applicable
acking group (RID)	: Not applicable
.5. Environmental hazards	
angerous for the environment	: No

: No

EN (English) 7/9

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### - Overland transport

No data available

#### - Transport by sea

No data available

#### - Air transport

No data available

#### - Inland waterway transport

No data available

#### - Rail transport

No data available

#### Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### 15.1.2. **National regulations**

#### Germany

Reference to AwSV : Water hazard class (WGK) 3, severe hazard to waters (Classification according to AwSV,

Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen

: None of the components are listed NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

: None of the components are listed giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: None of the components are listed

## Denmark

**Danish National Regulations** : Young people below the age of 18 years are not allowed to use the product

#### **Chemical safety assessment**

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

#### Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Org. Perox. B	Organic Peroxides, Type B
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2

EN (English) 8/9

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
H226	Flammable liquid and vapour.
H241	Heating may cause a fire or explosion.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.

## SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

EN (English) 9/9